



CODE

**DESCRIPTION** 

910205

KINETICO K10 Direct flow reverse osmosis system









AQUASTOP



LED STATUS



DIRECT FLOW



FILTER CONTROL

AUTO FLUSHING





CAPSULATED MEMBRANE



HIGH EFFICIENCY




HIGH PERFORMANCE



DOUBLE FLOW



SOUND WARNINGS





324mm

## **SPECIFICATIONS**

DIMENSIONS (height x width x depth): 430 mm x 231 mm x 324 mm

PEAK FLOW: 1,6 lpm

INLET TEMPERATURE: (maximum / minimum): 38°C / 5°C

INLET TDS: (maximum): 1500 ppm.

INLET PRESSURE: (minimum / maximum ): 4 bar - 1 bar (400kPa-100kPa).

PUMP: High performance diaphragm Booster pump.


POWER SUPPLY: 24 Vdc.

EXTERNAL ADAPTER: 100-240V. 50/60Hz: 24Vdc.

## **ORIGINAL CONSUMABLES:**

5 μm polypropylene filter ( Ref. 910207) 10 μm block carbon filter ( Ref. 910208) 600GPD RO membrane (Ref. 910210) 10 μm block postcarbon filter ( Ref. 910209)







The trading of water treatment and household appliances as well as designing and teaching of non-official training courses related with its technology are certified and comply with the UNE-ISO-9001 far WLG (B-60326279).





WLG (B-60326279) is an Aqua España member, who belongs Aqua Europa (Federation of European nation associations).



WLG (B-60326279), has the rights granted for Authorized Economic Operator with number ESAEOF18000008U6 and 13/02/2018 as a date of entry of the authorization.